TRW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of : Mail Stop: ISSUE FEE

Mitsuyoshi AIZAWA : Confirmation No. 6251

Serial No. 10/671,624 : [Group Art Unit 2855

Filed September 29, 2003 : Examiner William L. Oen]

ELECTRICAL CAPACITANCE-TYPE DIAPHRAGM PRESSURE SENSOR AND A METHOD OF FABRICATING THE SAME

RESPONSE TO NOTICE OF ALLOWANCE

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

The PTO's attention is directed to an apparent typographical error in the "Notice of Allowability", i.e. the indicating that claims 1-6 are allowed. The allowed claims should be claims 1-7, since claim 7 was added as a new claim in the Preliminary Amendment filed September 29, 2003.

Therefore, it is respectfully submitted that all PTO records be corrected to indicate that the allowable claims in this application are claims 1-7.

Respectfully submitted,

Mitsuyoshi AIZAWA

Michael S. Huppert

Registration No. 40,268 Attorney for Applicant

MSH/kjf Washington, D.C. 20006-1021 Telephone (202) 721-8200 Facsimile (202) 721-8250 September 16, 2004

OIPE			
SEP 1 6 2004 W	Application No.	Applicant(s)	
Notice of Allowability TRADEMINA	10/671,624	AIZAWA, MITSUYOSHI	
	Examiner	Art Unit	
	William L Oen	2855	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to the application filed 9/29/2003.			
2. X The allowed claim(s) is/are 4-6- 1-7			
3. X The drawings filed on 29 September 2003 are accepted by the Examiner.			
 4.			
2. Certified copies of the priority documents have been received in Application No.			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" o noted below. Failure to timely comply will result in ABANDONME THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements	
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached			
1) hereto or 2) to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the			
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT F 			
Attachment(s)			
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary (
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 		Paper No./Mail Date 7.	
1. Examiner's Comment Regarding Requirement for Deposit		nt of Reasons for Allowance	
of Biological Material	9. Other		
	ا - الم ماريخي		
U.S. Patent and Trademark Office			